STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN)

of the

AN/TPS-63B

Control Unit Circuit Card Assembly (CCA) NSN 5999-01-357-6109

- 1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to IROAN the AN/TPS-63B Control Unit Circuit Card Assembly (CCA), NSN 5999-01-357-6109, part number 1D24329G02, CAGE 97942, (hereafter referred to as "Control Unit CCA"). This document contains requirements to restore the Control Unit CCA to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplements thereto which are in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

2.1 Military Standards

MIL-STD-2073-ID

DOD Standard Practice for Military Packaging

MIL-STD-129

DOD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

DoD 4000.25-1-M

Military Standard Requisitioning and Issue

Procedures (MILSTRIP)

Engineering Drawing 1D24329, CAGE 97942

Control Unit, CCA

Engineering Drawing 1D24329, CAGE 97942

Parts List, Control Unit, CCA

Engineering Drawing 648A461, CAGE 97942

Test Specification for Control Unit CCA, 1D24329

Military Handbook (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASOC Q9001-2000 Quality Management Systems-Requirements

JESD625-A Requirements for Handling Electrostatic-Discharge-

Sensitive (ESDS) Devices

Industry Standard (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697- 2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 Requirements

3.1 The Contractor shall repair the Control Unit CCA strictly in accordance with the requirements as specified in Engineering Drawing 1D24329 and Parts List 1D24329, CAGE 97942. Testing shall be conducted in accordance with Test Specification 648A461, CAGE 97942, and the test results shall be documented in a Test Data Report (TDR). The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to IROAN the equipment in accordance with this SOW.

- 3.2 Packaging, Handling, Storage and Transportation (PHS&T)
- 3.2.1 The Contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia, Specialized Preservation Code "GX" and shall be packed into a reusable fast-pack container. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements and shall be packed into a reusable fast-pack container.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use will be identified in writing by the Logistics Management Specialist (LMS), Marine Corps Systems Command (MCSC), Battlespace Management and Air Defense Systems (BMADS), Albany, Georgia 31704-0343.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration baseline items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the baseline shall be by Engineering Change Proposal (ECP). If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 571-1) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to: Materiel Management Department, Management Control Activity (Code 571-1), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320, or by faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M

(MILSTRIP), Chapter 11, provides guidance to contractors on the requisitioning process. The Contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.

- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Quality Assurance Provisions</u>. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems-Requirements.
- Reports. The Contractor shall develop a Test Data Report (TDR), in Contractor format, which references this SOW, the NSN, part number, and serial number of the Control Unit CCA. The TDR shall reference the specific paragraph of Test Specifications 648A461, CAGE 97942, for all "Performance Requirements" (i.e. the allowable parameters, and quantitative test results). Upon request, the Contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist (LMS), MCSC (BMADS). The electronic address is: SMBmatcombmads@matcom.usmc.mil. The mailing address is: SMBmatcombmads@matcom.usmc.mil. The mailing address is: SMBMADS, 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. The LMS can be reached at commercial telephone number (229) 639-5036, or DSN 567-5036. Facsimiles may be sent to commercial telephone number (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, (BMADS).

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

Page ___ of __

Pages

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the

A. CONTRACT LINE ITEM NO.		B. EXHIE	BIT	C. CATEGORY:						l¦	
				TDP TM							l¦
D. SYSTEM/ITEN			E. CONTRACT	PR NO.	F. CONT	RACTOR	R				
	53B ControlUnitC										l i
1. DATA ITEM NO. 2. TITLE OF DATA ITEM				3. SUBTITI				17. PRICE GRO			
A001	Engineering Change Proposal (ECP)						Configuration Management				
				5. CONTRACT REFERENCE			6. REQUIRING OFFICE				
DI-CMAN-80639C			SOW 3.3			MCLBA (583)					18. ESTIMATE TOTAL PR
	9. DIST STATEMENT	10. FREQU				14. DISTRIBUTION					
LT	REQUIRED		SREQ	See Blk 16		T4. DISTRIBU	1	. COPIES			
8. APP CODE		11. AS OF DATE		13. DATE OF SUBSEQUENT		a. ADDRESSEE	Final				
Α	Α	1		SUBMISSION				Draft Reg Repro		Repro	l i
16. REMARKS	tor format aubmir	ttad in n	df or don for	nat is authorized.		MCLB	A (583-1)	0	1	0	
Biks 10 & 12 - permanentiv aft	ECPs shall be sulfect the baseline of	bmitted for	or all proposed	d changes which							l ¦
			=								
receipt by the C	eviewed and disposovernment.	osition de	termined with	in 30 calendar day	s upon						1 1
							, svaw				li
mbmatcomconf	igmngmnt@matco	om.usmc	mil	ollowing address:							Ιİ
Distribution Sta	atement A: Appro	ved for F	hiblic Release:	Distribution is						\vdash	H
Unlimited.											<u> </u>
								 -	•		
							<u> </u>				
								-			
											li
											1
											[]
						-					
	•										
*							··				
1						1		 			l j
						-					
											H
											li
											ĺ
											[]
								<u> </u>			l¦
											
								 			l i
											
0						15. TOTA		0	1	0	
G. PREPARED BY	(ST 1	1	H. DATE	I. APPROVE	D BY	1	0	J. DA	TE		li
KUUMI.	4. BAAM	14	23 Dec	02 Kahai	FX).	Tura	Li	23	DEC	50	
DD FORM 14	23-1, AUG 96	(FG		OUS EDITION MAY	BE LISED	<u> </u>	Pac	10	of	Pages	11

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY: TDP TM OTHER					ļ	
D. SYSTEM/ITEM		E. CONTRAC				RACTOR				
	3B ControlUnitC	CA							[ļ
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					17. PRICE GRO
A002	Request For Deviation					Configuration Mar				
4. AUTHORITY (Data Acquisition Document N		5. CONTRACT REFERENCE			6. REQUIRING OFFICE					18. ESTIMATE TOTAL PR
	CMAN-80640C	SOW 3.3				MCLBA	I TOTAL FR			
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQU	ENCY ASREQ	12. DATE OF FIRST SUB See Blk 1		14. DISTRIB				.
8. APP CODE		11. AS OF DATE		13. DATE OF SUBSECUE		a. ADDRESSEE	b. COPIES			\
Α	A			SUBMISSION		1	Draft	Reg	Repro	į
16. REMARKS Blk 4 - Contrac	ctor format submit	tted in .p	df or .doc forr	nat is authorized.		MCLBA (583-1)	0	1	0	 -
nonconforming documentation.	RFDs shall be su material which d	oes not n	neet prescribed	l configuration						
		neition de	etermined with	in 30 calendar da	ire unon					 -
receipt by the	eviewed and dispo Sovernment.	osition (i)	acminica will	iii 50 calchdal day	ys upon					
Block 14: RFD	s shall be transmi figmngmnt@matco	tted via l	E-Mail to the f	ollowing address:						į
Unlimited.	atement A: Appro	ved for I	rudiic Kelease;	; Distribution is						
										ļ
							ļ			
							1			
]	
							i I			
						<u> </u>				
							ļ			
\							\			
							1			
							_			
							 			
							<u> </u>			
							ļ	ļ		
							 			
								<u> </u>		
C DDEDARED 2	<u> </u>		11 0-7-	1	D DV	15. TOTAL	0		0	
G. PREPARED B	. 15-72	We.	H. DATE	02 Loun	1D	Tunglie	J. DA 23	TE DEC	02	
DD FORM 14	23-1, AUG 96	(EG)	PREVIO	DUS EDITION MAY	BE USED	Pag	ge	of	Pages	↓ I ,